EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3114	(channel or tuner or broadcast$5 or video) with (demodulat$4) with (show or program)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 09:37
S2	11374	(channel or tuner or broadcast$5 or video) same (demodulat$4) same (show or program)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 09:37
S3	8337	EPG	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 09:38
S4	433	S1 and S2 and S3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 09:52
S5	1793	386/83.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 10:22
S6	4436	386/46.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 10:22
S7	25	S4 and S6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 10:24
S8	44	S4 and S5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 10:44
S9	88	S6 and re$1record$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 10:48

S10	3	S6 and re$1record$3 and time$1shift$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 10:49
S11	2	S6 and re$1record$3 and time$1shift$3 and fail$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 10:51
S12	87	S6 and re$1record$3 not S7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 10:52
S13	1793	386/83.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 15:28
S14	4436	386/46.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 15:28
S15	1378	S13 not S14	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 15:28
S16	4021	S14 not S13	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 15:28
S17	4224	(flag or identif$7) with (record$3) with(success$5 or fail$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 15:36
S18	21	S13 and S17	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 15:43
S19	40	S14 and S17	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 15:44
S20	14	386/124.ccls. and S17	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 15:46

S21	44	386/125.ccls. and S17	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 15:47
S24	5	386/106.ccls. and S17	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 15:48
S25	3	386/107.ccls. and S17	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 15:48
S26	0	386/108.ccls. and S17	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 15:49
S27	7	386/109.ccls. and S17	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 15:49
S28	0	jp-2002281127-4.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 16:34
S29	2	jp-2002281127-$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 16:47
S30	1964320	S13 and flag or identif$7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 17:26
S31	713	S13 and (flag or identif$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 17:27
S32	1343	S13 and (flag or identif$7 or "1" or "0")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 17:29
S33	297	S13 and (flag or identif$7) with ("1" or "0")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 17:30

S34	1	S13 and (flag or identif$7) with ("1" or "0") and transmi $5 and re$1record and failure	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 17:33
S35	234	S13 and (flag or identif$7) with ("1" or "0") and transmi $5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 17:34
S36	0	S17 and "386".ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 18:00
S38	280	S17 and "386"/$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 18:01
S39	280	S17 and "386"/$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 18:01
S40	2	jp-2003110955-$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 18:40
S41	2	jp-2004140460-$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 18:42
S42	0	jp-200369910-$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 18:53
S43	2	jp-2003329459-$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/01 18:54
S44	0	"0031111".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 10:15
S45	5	"537639".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 10:15

S46	2	"7149415".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 13:16
S47	0	"10751410".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:44
S48	0	"10751410".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:44
S49	6	"751410".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:45
S50	3772	record$3 with flag with "1"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 18:12
S51	1384	record$3 with flag with "1" same "0"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 18:15
S52	4225	(flag or identif$7) with (record$3) with(success$5 or fail$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 20:14
S53	280	S52 and "386"/.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 20:14
S54	119	EPG with record$3 with end with time	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 10:18
S55	1	"751410".ap. and (chang$3 with identifying)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 11:56
S56	1	"751410".ap. and (request with one)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 11:59

S57	2	"751410".ap. and (programs with "1")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 12:00
S58	6	"751410".ap. and ('1')	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 12:49
S59	6	"751410".ap. and '1'	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 12:52
S60	6	"751410".ap. and "1"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 12:52
S61	3465	success$3 with "1" with record$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 13:07
S62	311	success$3 with "1" with record$3 with "0"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 13:07
S63	33	successful with "1" with record$3 with "0"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 13:11
S64	213	first with identifying with "1" and second with identifying with "0"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 13:24
S65	35407	set with "1" and reset with "0"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 13:31
S66	3	identifying information set with "1" and reset with "0"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 13:33
S67	844	identifying same set with "1" and reset with "0"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 13:34

S68	1593	first with set with "1" and second with reset with "0"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 13:43
S69	33606	"386"/.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 13:53
S70	0	"751410".ap. and (second identifying information reset to)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 13:56
S71	1	"751410".ap. and (second identifying information)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 13:58
S72	0	set "1" to "0"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 14:02
S73	0	set "1" reset to "0"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 14:03
S75	15509	set with "1" same reset with "0"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 14:04
S76	9748	set with "1" same reset with "0" and @py <"2002"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 14:06
S77	0	("20"with bit with time) and ("7" with bit with channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:35
S78	252	("20" with bit with time) and ("7" with bit with channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:35
S79	1	("20" with bit with time) and ("7" with bit with channel) and epg	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:36

S80	258	"20" with bit with record$3 with time	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:46
S81	9	"20" with bit with record$3 with time with header	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:46
S82	283	("20" or twenty) with bit with record$3 with time	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:57
S83	28	twenty with bit with record$3 with time	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:58
S84	27	"6" with byte and egp	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 16:02
S85	125	"6" with byte and epg	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 16:03
S86	7	("4" or four) with bit with month with field and (five or "5") with bit with hour with field	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 16:46
S87	9	express decimal with binary	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 17:15
S88	5	"185792".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 17:50
S89	169	(audio near2 pes) with (video) with data and @ad<="20021231"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 13:48
S90	48	transport with (audio near2 pes) with (video) with data and @ad<="20021231"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 14:02

S91	1	10/751410	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/06/20 13:57
S92	4530	386/46.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/23 10:55
S93	0	S92 and re$1record$3 and time$1shift$3 $1 fail$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/23 10:55
S94	4530	386/46.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/23 12:05
S95	14	(jong with suh).in. and pvr	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/23 12:06
S96	14	(US-20020076195-$ or US-20080013919-$ or US-20040078610-$ or US-20030081936-$ or US-20070189712-$ or US-20030014557-$ or US-20020016771-$ or US-20020188945-$ or US-20020021886-$ or US-20040002987-$ or US-20070031111-$).did. or (US-6802074-$ or US-6400408-$ or US-6636270-$).did.	US-PGPUB; USPAT	ADJ	ON	2008/12/22 16:39
S97	8	S96 and Initial$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 16:39
S98	7	intial$3 with record$3 with (success$3 or complet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 16:55

S99	145057	record$3 with (success$3 or complet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 16:56
S100	1948	set with ("1" or "0") with record$3 with (success$3 or complet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 16:57
S101	2312	set$4 with ("1" or "0") with record$3 with (success$3 or complet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 16:57
S102	186	S101 and "386"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 16:58
S103	114	S102 and @ad <="20030107"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 17:00
S104	1	10/751410	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 17:40
S105	7	chang$3 with value with user with stop with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 19:50

12/23/2008 11:17:18 AM
C:\ Documents and Settings\ akhan6\ My Documents\ EAST\ Workspaces\ Training Acad. (Application done while in training academy)\ 10751410.wsp